
Index

A

a posteriori analysis, 145
accuracy, *see* computational methods
 first order, 264, 265, 268, 312
 order of, 265, 309, 312, 322
 for quadrature formulae, 93–95
 second order, 266, 269, 448
active control, 487, 503
 general solution for, 503, 504
active control source, *see* active control
active shielding, 487, 503, 506
amplification factor, 206, 351
 for the
 first order upwind scheme, 342
 for the Lax-Wendroff scheme, 343
amplification matrix, 366, 388
antiderivative, 91
approximate
 computations, 1
 evaluation
 of a function, 13
 of integrals, 23
 solution, 2, 5, 9, 10
 value, 8
 of a function, 23
approximation
 accuracy of, 5
 best
 by polynomials, 84
 in linear space, 88
 in the sense of C , 88
 in the sense of L_2 , 88
 by difference scheme, 259, 260,

 265, 309
 order of, 309
 by rounding, 11
 discrete, 5
 error, 5, 8, 11
 of differential operator by difference operator, 265, 333
 of functions, 9
 order of, 265, 309
Arnoldi process, 200, 201
 instability of, 200
 stabilized version of, 200
 termination of, 200, 203
 premature, 200, 202, 203
artificial boundary, 486, 501, 505
artificial boundary condition, 485, 486, 501, 506
 non-reflecting, 505
 radiation, 505
artificial dissipation, *see* viscosity, artificial
artificial viscosity, *see* viscosity, artificial
auxiliary difference problem, 488, 490, 498, 499

B

bandwidth, 147
basis
 in a linear space, 63, 123, 125
 orthonormal, 64, 130, 136, 164, 166, 200
Bernstein example, 34, 87
bisection, *see* method, of rootfinding, bisection
boundary equation with projection, 492, 498–501
 Calderon's, 473, 483, 492

C

- Cauchy type integral, 483, 497
- CFL condition, 318, 319
- CFL number, 318
- characteristics, *see* equation, Burgers,
 - characteristics of
 - intersection of, 431, 438
 - method of, *see* method, of characteristics
- Chebyshev polynomials, 76
 - orthogonality of, 103
 - roots of, 77
 - stability of computation of, 79
- Cholesky factorization, *see* factorization, Cholesky
- chord method,
 - see* method, of rootfinding, chord
- component, 121, 124
- computational methods, 3, 12–18
 - characteristics of, 3
 - accuracy, 3, 13
 - convergence, 18
 - operation count, 3, 14
 - stability, 14
 - storage requirements, 3
 - comparison of, 13–18
 - by convergence, 18
 - by efficacy, 14
 - by stability, 14–15
 - in accuracy, 13
 - parallelization of, 3, 18
- condition at the discontinuity, *see* discontinuity, condition at
- condition number, 133
 - as a characteristic of $Ax = f$, 137
 - geometric meaning of, 135
 - of a linear operator, 134
 - of a linear system, 134
 - of a matrix, 134
 - of a matrix with diagonal dominance, 139
 - of a self-adjoint operator, 136
 - of rootfinding problem, 232
- conditioning, 3, 6, 16, 17
 - ill conditioned problems, *see* problem, ill conditioned
 - of interpolating polynomial, 32–33
 - of linear systems, 133
 - of rootfinding problem, 232
 - well conditioned problems, *see* problem, well conditioned
- conservation law, 427, 428
 - integral form of, 427, 428
- consistency
 - of approximating operator equation, 321
 - of finite-difference scheme, *see* finite-difference scheme, consistency of
- contact discontinuity, 427
- contraction, 238
 - coefficient, 238
 - sufficient condition for, 240
- contraction mapping principle, 239
- convergence
 - of finite element method, *see* finite elements, convergence of
 - of finite-difference scheme, *see* finite-difference scheme, convergence of
 - of finite-difference solution, *see* finite-difference solution, convergence of
 - of Fourier series, *see* series, Fourier, convergence of
 - of interpolating polynomials, 34, 83, 86
 - on Chebyshev grid, 77, 80, 87
 - of iterative method
 - a necessary and sufficient condition for, 178, 182
 - a sufficient condition for, 175
 - first order linear stationary, 175, 178
 - fixed point, *see* fixed point iteration, convergence of
 - Gauss-Seidel, 177

- Jacobi, 176
- Richardson, 182
 - with a self-adjoint iteration matrix, 181
- of local splines, 47
 - with derivatives, 47
- of Newton's method, 236, 292
 - quadratic, 236, 243–245
- of nonlocal splines, 53
 - with derivatives, 53
- of piecewise polynomial interpolation, 41
 - for derivatives, 41
- of solutions to approximate operator equations, 321
- of the chord method, 235
- of the method of bisection, 234
- of the secant method, 235
- of trigonometric interpolation, 61, 71
- spectral
 - of adaptive finite elements, 469
 - of Fourier method for a differential equation, 306
 - of Gaussian quadratures, 106, 107
 - of Newton-Cotes quadratures for periodic functions, 97
 - of trigonometric interpolation, 73
- convex domain, 241
- convolution, 476
- Courant number, 318
- Courant, Friedrichs, and Lewy condition, 318
- Cramer's rule, 119
- D**
- diagonal dominance, *see* matrix, with diagonal dominance
- difference
 - central, 262, 265, 447
 - divided, 26–27, 45
 - forward, 262
 - quotient, *see* quotient, difference
- discontinuity, 431
 - condition at, 432
 - formation of, 431, 433
 - of the first kind, 431, 433, 454
 - tracking of, 439
 - trajectory of, 432
- discretization, 3, 4
 - comparison of methods, 5
 - of a boundary value problem, 5
 - of a function, 4
 - by table of values, 4
 - of derivatives, 4
- dispersion, 341
 - of the first order upwind scheme, 342
 - of the Lax-Wendroff scheme, 343, 344
- dispersion relation, 341
 - for
 - the first order upwind scheme, 342
 - for the Lax-Wendroff scheme, 343
- dispersionless propagation of waves, 342
- domain of dependence
 - continuous, 318
 - discrete, 318
- dot product, 63
- double precision, *see* precision, single
- Duhamel principle, 365
- E**
- elimination
 - Gaussian, 140
 - computational complexity of, 145, 152
 - standard, 141
 - sufficient condition of applicability, 142
 - with pivoting, 154
 - with pivoting, complexity of, 155

- tri-diagonal, 51, 145, 255, 276, 291
 - computational complexity of, 146
 - cyclic, 52, 148
 - cyclic, complexity of, 149
- elliptic
 - boundary value problem, *see* problem, boundary value, elliptic
 - equation, *see* equation, elliptic
 - operator, *see* operator, elliptic
- energy estimate, 402
 - for a constant-coefficient equation, 403
 - for a finite-difference scheme, *see* finite-difference scheme, energy estimate for
 - for a variable-coefficient equation, 404
 - with inhomogeneous boundary condition, 405
- entropy condition, 436
- equality
 - Parseval, 167, 363
- equation
 - boundary, with projection, *see* boundary equation with projection
 - Burgers, 428
 - characteristics of, 430
 - divergence form of, 441
 - Calderon, *see* boundary equation with projection, Calderon's
 - d'Alembert, 348, 358
 - difference, 78
 - elliptic, 121, 445–470
 - with variable coefficients, 187, 445
 - Fredholm integral of the second kind, 477
 - heat, 325, 330, 356
 - homogeneous, 346
 - nonlinear, 370
 - two-dimensional, 358
 - Helmholtz, 460, 478, 481
 - Lagrange-Euler, 457
 - Laplace, 475, 485, 498
 - linear algebraic, 120
 - Poisson, 121, 205, 332, 445, 446, 454, 476, 481, 484
 - system of
 - acoustics, 326, 360
 - Lame, 481
 - linearized Euler, 481
 - Maxwell, 481
 - Stokes, 479, 481
 - wave, 348, 358
- error, 3, 8
 - asymptotic behavior for interpolation, 41
 - estimate, 9, 38, 39
 - for algebraic interpolating polynomials, 86
 - for Chebyshev iteration, 195
 - for conjugate gradients, 196
 - for first order linear stationary iteration, 176, 180
 - for fixed point iteration, 238
 - for Gaussian quadrature, 105
 - for local splines, 46
 - for nonlocal splines, 53
 - for quadrature formulae, 92
 - for Richardson iteration, 185
 - for Simpson's formula, 98, 99
 - for spectral method, 305
 - for the method of bisection, 234
 - for trapezoidal rule, 94
 - for unavoidable error, 40–42
 - of algebraic interpolation
 - on Chebyshev grid, 77, 78
 - of finite-difference solution, *see* finite-difference solution, error of
 - of iteration, 175, 179, 182
 - of piecewise polynomial interpolation, 35–38
 - for derivatives, 39
 - multi-dimensional, 58

- of Taylor formula, *see* remainder, of Taylor formula
 - of the computational method, 8, 10
 - of trapezoidal rule, 278
 - of trigonometric interpolation, 61, 68
 - order of, 322
 - phase, 341–343
 - minimization of, 343
 - relative, 15, 281
 - round-off, 8, 10–11, 278–279
 - truncation, 259, 261, 309, 448
 - magnitude of, 262–264
 - unavoidable, 8–10, 42, 87
 - due to uncertainty in the data, 8–10
- F**
- factorization
 - LU , 151
 - QR , 217
 - relation to Cholesky, 218
 - Cholesky, 153
 - complexity of, 153
 - family of matrices, 366, 388
 - stability of, 366, 388
 - family of operators, 389, 391
 - behavior of the powers R_h^p , 394
 - spectrum of, 385, 391, 411
 - computation using Babenko-Gelfand procedure, 397–402
 - uniform boundedness of powers, 387
 - fan, 435, 443
 - fast Fourier transform (FFT), 169, 171
 - Favard constants, 85
 - finite elements
 - adaptive, 468
 - basis for, 465
 - convergence of, 466–469
 - optimal, 467
 - spectral, 469
 - method of, *see* method, finite element
 - piecewise linear, 465
 - finite-difference scheme, 251, 255, 308
 - A-stable, 281
 - conditionally, 282
 - unconditionally, 282
 - accuracy of, *see* accuracy, order of
 - backward Euler, 271
 - canonical form of, 386
 - central difference, 333
 - conservative, 441, 442
 - consistency of, 259, 261, 309
 - consistent, 309, 310
 - convergence of, 257, 259, 273, 308
 - order of, 259, 308
 - convergent, 256, 277, 309
 - Crank-Nicolson
 - for ordinary differential equations, 270
 - for partial differential equations, 373
 - dispersion of, *see* dispersion
 - dissipation of, 372
 - artificial, *see* viscosity, artificial
 - divergent, 271
 - energy estimate for
 - constant coefficients, 407
 - inhomogeneous boundary conditions, 409
 - variable coefficients, 408
 - evolution-type, 385
 - explicit, 270, 285, 311
 - explicit central, 354
 - first order downwind, 329
 - instability of, 353
 - first order upwind, 329
 - Babenko-Gelfand stability of, 382–384
 - dispersion of, *see* dispersion, of the first order upwind

- scheme
 - dissipation of, 373
 - for initial boundary value problem, 382, 385
 - von Neumann stability of, 351
- for an integral equation, 277
- stability of, 278
- for systems, 286
- for the heat equation, 330
 - Babenko-Gelfand stability of, 380–381
 - explicit, 331, 356, 423
 - implicit, 147, 331, 357, 426
 - on a finite interval, 377
 - two-dimensional, 358
 - weighted, 367
 - with variable coefficients, 369
- for the Laplace equation
 - stability of, 447, 448
- for the Poisson equation, 122
- forward Euler, 269, 284, 344
 - convergence of, 276
 - for systems, 287
 - stability of, 276
- Godunov, 442
- Heun, 270
- implicit, 270
- implicit central, 368
- implicit downwind, 368
- implicit upwind, 368
- instability of, 320
- Lax-Friedrichs, 345
 - von Neumann stability of, 355
- Lax-Wendroff, 339, 343, 345, 353
 - Babenko-Gelfand stability of, 418
 - dispersion of, *see* dispersion, of the Lax-Wendroff scheme
 - dissipation of, 373
 - for acoustics system, 361
 - for inhomogeneous equation, 347
 - von Neumann stability of, 354
- leap-frog, 329, 345
 - Kreiss stability of, 410–418
 - von Neumann stability of, 356
- linear, 282
 - multi-step, 282
 - single-step, 282
 - stability of, 283
- MacCormack, 345
- monotone, 347
- non-dissipative, 372
- order of accuracy, *see* accuracy, order of
- predictor-corrector, 270, 344, 444
- Runge-Kutta, 284, 344
 - for second order equation, 288
 - fourth order, 285
 - second order, 285
- saturation of, 293–300
- spectrum of
 - for Cauchy problem, 351–361
 - for initial boundary value problem, 379–385
- stability constants, 280–281
- stability of, 260, 272, 312, 448
 - “almost” sufficient condition in terms of the spectrum of a family of operators, 395
 - as energy estimate, 409
 - as uniform boundedness of \mathbf{R}_h^p , 387
 - Babenko-Gelfand criterion, 379
 - for initial boundary value problems, 377–418
 - for linear equations, 273, 312
 - for nonlinear equations, 273, 312
 - Godunov-Ryaben’kii necessary condition, 391
 - in C , 362
 - in l_2 , 362
 - Kreiss necessary and sufficient condition, 416

- spectral condition for Cauchy problems, 351
 - spectral condition for initial boundary value problems, 389
 - spectral theory, 283, 351
 - sufficient conditions in C , 362
 - unconditional, 422, 426
 - von Neumann analysis of, 349
 - von Neumann condition of, 352
 - with respect to initial data, 350
 - stable, 309
 - stencil of, 122, 293, 324, 330, 332, 425
 - five-node, 333, 484
 - four-node, 337, 339, 341, 422
 - three-node, 334, 341
 - finite-difference solution
 - convergence of, 258, 308
 - rate of, 259, 273, 308, 314, 322
 - error of, 259, 308
 - characterization by grid dimension, 322
 - characterization by grid size, 322
 - order of, 259, 308
 - to an integral equation
 - convergence of, 278
 - fixed point, 237, 239
 - fixed point iteration, 237–242
 - convergence of, 237
 - sufficient condition for, 239
 - flux, 441
 - evaluation of, 443
 - by solving a Riemann problem, 444
 - FOM, 200
 - formula
 - first Green's, 455
 - Green's, 479
 - Hopf, 436
 - Newton-Cotes, 97
 - Newton-Leibniz, 91
 - quadrature, 23, 91, 92
 - error of, *see* error, estimate, for quadrature formulae
 - Gaussian, *see* Gaussian quadrature
 - second Green's, 455
 - Simpson's, 93, 98
 - saturation of, 101
 - Taylor, 10, 14, 100, 232, 262, 266, 285, 327, 447
 - error of, *see* remainder, of Taylor formula
 - remainder of, *see* remainder, of Taylor formula
 - frequency, 341
 - function, 23
 - absolutely integrable, 87
 - indicator, 486
 - Lipshitz-continuous, 84, 87, 107
 - piecewise analytic, 497
 - quadratic, 157
 - minimization of, 158
 - reconstruction of, 23
 - from table of Taylor coefficients, 23
 - from table of values, 23, 40
 - table of values of, 25, 42, 68
 - fundamental solution, *see* solution, fundamental
- G**
- Gauss nodes, *see* grid, Chebyshev-Gauss
 - Gauss-Lobatto nodes, *see* grid, Chebyshev-Gauss-Lobatto
 - Gaussian quadrature, 102, 105
 - error of, *see* error, estimate, for Gaussian quadrature
 - exactness for polynomials of degree $\leq 2n + 1$, 107
 - no saturation of, 102, 105
 - optimality of, 107
 - generalized eigenvalue, 416
 - GMRES, 200, 217

instability of, 204
 Gram-Schmidt orthogonalization, 200, 218
 stabilized, 219
 Green's function
 free-space, *see* solution, fundamental
 grid, 5, 9
 adaptation of, 256
 Cartesian, 57, 122, 205, 310, 328, 447, 484
 Chebyshev, 33, 62, 77, 79, 87
 Chebyshev-Gauss, 77, 102, 103
 Chebyshev-Gauss-Lobatto, 80, 102, 103
 dimension of, 256
 equally spaced, *see* grid, uniform
 finite element, 464
 finite-difference, 251, 254, 308
 for quadrature formulae, 92
 nonuniform, 102, 255
 rectangular, 57, 167
 refinement of, 41, 47
 local, 53, 59
 size, 38, 255
 structured, 57
 triangular, 59, 464
 uniform, 33, 40, 57, 61, 62, 93, 122, 167, 205, 254, 257, 258, 261, 277, 284, 310, 447, 484
 unstructured, 57, 59, 464
 grid boundary, 490, 501
 grid function, 123, 127, 165, 251, 254, 488–504
 even, 66
 norm of, *see* norm, of a grid function
 odd, 66
 piecewise regular, 493, 495
 two-valued, 493
 vector, 366

I

ill-posedness, 18
 improper integrals
 computation of, 108
 by change of variables, 110
 by combined analytical/numerical methods, 108
 by regularization, 109, 110
 by splitting, 108, 109
 using integration by parts, 108
 inequality
 Bessel, 69
 Cauchy-Schwarz, 70, 127
 Friedrichs, 457
 Jackson, 84
 Lebesgue, 85
 triangle, 126
 initial guess, 173, 174
 inner product, 63, 126, 409
 instability, 14–15
 due to the loss of significant digits, 16, 17
 of finite-difference scheme, *see* finite-difference scheme, instability of
 of iterative method, *see* method, iterative, instability of
 interpolating polynomial, 25
 algebraic, 25
 comparison of different forms, 31
 conditioning of, 32–33
 convergence of, 34
 divergence of, 34
 existence of, 25–26
 Lagrange form of, 26, 31
 Newton form of, 27, 31
 on Chebyshev grid, 77, 79
 sensitivity to perturbations, 32
 uniqueness of, 25–26
 trigonometric, 61, 62, 72
 convergence of, 73
 for even grid functions, 66, 73, 75
 for odd functions, 301–302

for odd grid functions, 66
 sensitivity to perturbations, 67
 stability of, 73
 interpolation, 23
 algebraic, 23, 25
 no saturation on Chebyshev
 grid, 78, 80, 87
 on Chebyshev grid, 77, 79
 multi-dimensional, 57–60
 error estimate of, 58, 60
 on structured grids, 57–58
 on unstructured grids, 58–60
 saturation of, 58
 piecewise polynomial, 35–43
 choice of degree, 40–42
 convergence of, 41
 error estimate of, 35–38
 of derivatives, 38–39
 saturation of, 42
 smooth, 43
 trigonometric, 23, 61
 convergence of, 61, 71, 73
 error estimate of, 61, 68, 72
 no saturation of, 71, 73
 of functions on an interval, 75
 of periodic functions, 62
 sensitivity to perturbations,
 61, 67
 interpolation grid, 33, 35, 49
 effect on convergence, 87
 iterate, 174
 iteration, 173
 convergence of, *see* conver-
 gence, of iterative method
 error of, *see* error, of iteration
 matrix, 174
 scheme, 173
J
 Jacobi matrix, *see* matrix, Jacobi
 Jacobian, *see* matrix, Jacobi
 jump, 431, 433
 across the discontinuity, 432,
 433
 trajectory of, 432, 433

velocity of, 432, 433

K

Kolmogorov diameter, 41, 88, 467
 Krylov subspace, 199
 basis of, 200
 iteration, *see* method, of Krylov
 subspaces

L

Lebesgue constants, 32, 81, 86
 growth of, 86
 of algebraic interpolating poly-
 nomial, 32–33, 41, 82
 on Chebyshev grid, 33, 77, 78,
 80, 87
 on uniform grid, 33
 optimal asymptotic behavior
 of, 87
 of trigonometric interpolating
 polynomial, 61, 67, 72, 73
 Legendre polynomial, 224
 linear combination, 63, 65, 88
 linear dependence, 125
 linear independence, 125
 Lipschitz-continuity, *see* function,
 Lipschitz-continuous
 loss of significant digits, 15–17
 LU factorization, *see* factorization,
 LU

M

mapping
 contraction, *see* contraction
 marching, 255, 269
 for tri-diagonal systems, 146
 in time, *see* time marching
 mathematical model(s), 1–3
 for small oscillations, 13
 methods of analysis, 1–3
 computational, 1–3
 matrix
 banded, 146
 block-diagonal, 394
 condition number of, *see* condi-
 tion number, of a matrix

- conjugate, 128
 - diagonal, 176, 192
 - full rank, 215, 218
 - Gram, 460
 - Hermitian, 128
 - Jacobi, 241, 244, 287
 - kernel of, 225
 - lower triangular, 151
 - Moore-Penrose pseudoinverse, 226
 - computation of, 227
 - norm of, *see* norm, of a matrix
 - normal, 131, 136, 366, 390
 - permutation, 155
 - rank deficient, 225
 - rectangular, 214
 - full rank, 215
 - SPD, 128, 153, 216–218
 - symmetric, 128
 - transposed, 128
 - tri-diagonal, 145
 - with diagonal dominance, 145
 - upper Hessenberg, 201
 - upper triangular, 151, 218
 - with diagonal dominance, 138, 426
 - estimate for condition number, 139
 - Gauss-Seidel iteration for, 177
 - Gaussian elimination for, 142
 - Jacobi iteration for, 176
- maximum principle
- for differential Laplace equation, 450
 - for finite-difference equation $u_t - u_x = 0$, 315
 - for finite-difference heat equation, 325, 423, 426
 - for finite-difference Laplace equation, 449
 - strengthened, 452
 - for Godunov scheme, 443
 - for monotone schemes, 347
- method
- Broyden, 246
 - Chebyshev iterative, 194
 - first order, 196
 - second order, 195
 - direct, 119, 140, 162, 164, 173
 - with linear complexity, 146
 - fast multipole, 481
 - finite element, 453–470
 - convergence of, *see* finite elements, convergence of
 - finite-difference, *see* finite-difference scheme
 - Galerkin, 462, 465
 - Gauss-Seidel, 177, 188
 - convergence of, 177
 - iterative, 119, 134, 162, 173
 - Arnoldi, *see* FOM
 - Chebyshev, *see* method, Chebyshev iterative
 - error of, *see* error, of iteration
 - first order linear stationary, 174, 178
 - fixed point, *see* fixed point iteration
 - instability of, 180
 - multigrid, *see* multigrid
 - of conjugate gradients, *see* method, of conjugate gradients, as an iterative method
 - Picard, *see* Picard iteration
 - second order linear stationary, 195, 196
 - stability of, 180
 - Jacobi, 176, 188
 - convergence of, 176
 - JOR, 178
 - Kholodov's of constructing schemes, 341
 - Lanczos, 163
 - Monte Carlo, 113
 - Newton's, 242–246, 291
 - convergence of, *see* convergence, of Newton's method
 - fixed point interpretation, 243
 - for scalar equations, 242

- for systems, 244
 - geometric interpretation, 243
 - modified, 246
 - Newton-Jacobi, 246
 - Newton-Krylov, 246
 - Newton-SOR, 246
 - of boundary elements, 473, 479–481
 - of boundary integral equations, 473
 - of characteristics, 438
 - of conjugate gradients, 159, 161, 198
 - as an iterative method, 194, 196
 - computational cost of, 163
 - for computing exact solution, 162
 - of difference potentials, 473, 483–504
 - with difference approximation of boundary conditions, 498
 - with spectral approximation of boundary conditions, 499
 - of finite differences, *see* finite-difference scheme
 - of finite elements, 446
 - of full orthogonalization, *see* FOM
 - of generalized minimal residuals, *see* GMRES
 - of Krylov subspaces, 198
 - of least squares, 213
 - geometric meaning of, 220
 - of linear programming, 213
 - of rootfinding, 231, 289
 - bisection, 233, 289
 - chord, 235
 - Newton's, 236, 290
 - secant, 235, 290
 - of shooting, 289
 - instability of, 290–291
 - of undetermined coefficients, 334–340
 - over-relaxation, 178
 - Jacobi, 178
 - successive, 178
 - projection, 462
 - quasi-Newton, 246
 - Richardson
 - non-stationary, 174, 193
 - preconditioned, 188
 - stationary, 174
 - Ritz, 458, 465
 - SOR, 178
 - spectral
 - Chebyshev, 306
 - collocation, 306
 - Fourier, 301–306
 - Galerkin, 306
 - no saturation of, 306
 - minimizing sequence, 457
 - multigrid, 204, 210
 - algebraic, 210
 - grid-independent performance of, 204
 - prolongation, 208
 - restriction, 207
 - V-cycle, 209
 - W-cycle, 209
 - multiple integrals
 - computation of, 111
 - by coordinate transformation, 112
 - by Monte Carlo method, 113
 - by repeated application of quadrature formulae, 111–112
- N**
- Newton's method, *see* method, of rootfinding, Newton's, *see* method, Newton's
 - norm
 - C , 126, 349, 389, 390, 420
 - l_1 , 126, 127

- l_2 , 127, 362, 390, 407, 410, 420, 421
 - l_∞ , 126, 349
 - axioms of, 126
 - energy, 459
 - equivalence on vector spaces, 176
 - Euclidean, 127, 128, 131, 257, 362
 - first, 126
 - Hermitian, 127, 128
 - Manhattan, 126
 - maximum, 126, 127, 257, 311, 349, 448
 - of a grid function, 257
 - of a matrix, 129
 - maximum column, 130
 - maximum row, 130
 - of a vector, 125
 - of an operator, 81, 129
 - induced by a vector norm, 129
 - on a linear space, 126
 - Sobolev, 454
- O**
- operation count, *see* computational methods
 - operator
 - adjoint, 128
 - condition number of, *see* condition number, of a linear operator
 - continuous, 81
 - elliptic, 190
 - equivalent by energy, 190
 - equivalent by spectrum, 190
 - Helmholtz, 461, 478
 - Laplace, 191, 476
 - eigenvalues of, 461
 - finite-difference, 122, 171, 448
 - linear, 81, 121, 124, 129, 273
 - matrix of, 121, 124
 - orthogonal, 132
 - unitary, 132
 - norm of, *see* norm, of an operator
 - positive definite, 128, 168, 456
 - self-adjoint, 128, 164, 168
 - transition, 351, 386
 - boundedness of powers of, 387
 - eigenfunctions of, 351, 389
 - eigenvalues of, 351, 379, 389
 - spectrum of, 351, 372, 383, 389
- P**
- periodization
 - by cosine transformation, 74
 - by extension, 74
 - phase error, *see* error, phase
 - phase speed, 341
 - for
 - the first order upwind scheme, 342
 - for the Lax-Wendroff scheme, 343
 - Picard iteration, 237
 - piecewise regular function, *see* grid function, piecewise regular
 - piecewise regular solution, *see* solution, piecewise regular
 - pivot, 151
 - pivoting, 154
 - complete, 155
 - partial, 154
 - potential
 - difference, 488–504
 - $u^+ = \mathbf{P}^+ v_\gamma$, 489, 490
 - $u^- = \mathbf{P}^- v_\gamma$, 492
 - $u_N^+ = \mathbf{P}^+ v_\gamma$, 498
 - Cauchy type, 483, 493, 495, 498, 502
 - with jump v_γ , 493, 495, 502
 - double-layer, 476
 - density of, 476
 - single-layer, 476
 - density of, 476
 - precision

- double, 279
- single, 279
- precision, double, 157
- preconditioner, 188
 - incomplete factorization, 192
 - polynomial, 192
 - recursive ordering, 192, 210
 - spectrally equivalent, 191
- preconditioning, 188, 192
 - for discrete elliptic boundary value problems, 190, 191
- primitive, 91
- principle of frozen coefficients, 369
- problem
 - auxiliary, *see* auxiliary difference problem
 - boundary value, 4, 253, 288, 291
 - Dirichlet, 445
 - elliptic, 121, 158, 186, 190, 205, 445–470
 - exterior, 485, 500
 - for the Helmholtz equation, 461, 478
 - for the Laplace equation, 475
 - for the Poisson equation, 121
 - interior, 485, 498
 - Neumann, 445
 - of the first kind, 445
 - of the second kind, 445
 - of the third kind, 445
 - Robin, 445
 - variational formulation of , 454, 457
- Cauchy, 13, 271, 289, 290
 - difference, 349, 362, 369
 - difference vector, 365
 - for a first order advection equation, 309, 325, 326, 344
 - for a first order ordinary differential equation, 253, 284
 - for a hyperbolic system, 375
 - for a system of ordinary differential equations, 287
 - for acoustics system, 360
 - for the Burgers equation, 428
 - for the heat equation, 325, 330, 346, 356, 358
 - for the nonlinear heat equation, 370
 - for the wave equation, 358
- Dirichlet, 121, 205, 332
 - exterior, 475
 - finite-difference, 121, 165, 168, 205, 489
 - for the Helmholtz equation, 461, 478
 - for the Laplace equation, 475, 485
 - for the Poisson equation, 121, 446, 454
 - interior, 475
 - spectrum of, 206
 - with variable coefficients, 451, 469
- ill conditioned, 6–7
- initial boundary value, 348, 377–418
- initial value, 253, 254, 261, 267, 274, 317
- inverse source, 487
- Neumann
 - exterior, 475
 - for the Helmholtz equation, 478
 - for the Laplace equation, 475
 - interior, 475
- Riemann, 434, 442
- well conditioned, 6–7, 180
- well-posed, 6
- projection
 - boundary, 492
 - Calderon's, 473, 492
 - of continuous solution on the grid, 256, 272, 308
 - orthogonal, 220
 - independence of basis, 221
 - on a subspace, 220

Q

quadrature formulae, *see* formula, quadrature

quotient

difference, 27, 254, 261, 269

Rayleigh-Ritz, *see* Rayleigh-Ritz quotient

R

rarefaction wave, 434

Rayleigh-Ritz quotient, 190

remainder

of Taylor formula

Lagrange form, 262, 266, 447

residual, 160, 174

of exact solution, 259, 261, 264, 309

residue, 180, 397

resonance of the interior domain, 478, 479

Riemann invariants, 419

rootfinding

method of, *see* method, of rootfinding

Runge example, 34

S

saturation by smoothness, 41, 42

of finite-difference schemes, *see* finite-difference scheme, saturation of

of piecewise polynomial interpolation, *see* interpolation, piecewise polynomial, saturation of

of Simpson's formula, *see* formula, Simpson's, saturation of

of splines

local, *see* splines, local, saturation of

nonlocal, *see* splines, nonlocal, saturation of

of trapezoidal rule, *see* trapezoidal rule, saturation of

saturation on a given stencil, 293

scalar product, 126

axioms of, 126

scaling, 192

scheme

difference, *see* finite-difference scheme

finite-difference, *see* finite-difference scheme

secant method,

see method, of rootfinding, secant

sensitivity to perturbations

of interpolating polynomial

algebraic, 32, 35

trigonometric, 61, 67

of solution, 6

finite-difference, 260, 273, 314, 319, 323

to a linear system, 133, 137

series

Fourier, 68, 88, 95

coefficients of, 69, 95

convergence of, 69, 303, 305

discrete, 167

finite, 164, 167

finite, two-dimensional, 167

in the complex form, 170

partial sum of, 69, 88, 95, 303, 305

remainder of, 69, 88, 95, 303, 305

Laurent, 179

power, 23

Taylor, 13, 84

partial sum of, 13, 84

shock, 323, 427, 434, 443

rarefaction, 436

trajectory of, 439

similarity of matrices, 226

Simpson's formula, *see* formula, Simpson's

single precision, *see* precision, single

singular value, 226

singular value decomposition, 225

- singular vector
 - left, 226
 - right, 226
- solution
 - approximate, 256, 308
 - classical, 433
 - continuous, 427
 - discontinuous, 427, 433
 - exact, 254, 258, 308
 - on the grid, 254, 258, 308
 - finite-difference, *see*
 - finite-difference solution
 - fundamental
 - of the Helmholtz operator, 478
 - of the Laplace operator, 476
 - generalized, 212, 215, 433
 - computation by means of **QR**, 218
 - existence and uniqueness of, 215
 - for an operator equation, 221
 - in the sense of l_1 , 213
 - in the sense of the least squares, 213
 - minimum norm, 228
 - of a conservation law, 433
 - of an overdetermined linear system, 202, 212, 215
 - piecewise regular, 493, 495, 502
 - plane wave, 341
 - weak, 212, 215, 433
 - computation by means of **QR**, 218
 - existence and uniqueness of, 215
 - for an operator equation, 221
 - in the sense of l_1 , 213
 - in the sense of the least squares, 202, 213
 - minimum norm, 228
 - of a conservation law, 433
 - of an overdetermined linear system, 202, 212, 215
- Sommerfeld radiation boundary conditions, 478
- space
 - $C[a, b]$, 81, 88
 - C^1 , 236, 298
 - C^2 , 455–462
 - C^∞ , 298
 - $L_1[a, b]$, 87
 - $L_2[a, b]$, 88
 - \mathbb{C}^n , 125
 - \mathbb{R}^n , 125
 - l_2 , 362
 - affine, 199
 - Banach, 320
 - complete, 239, 454
 - Euclidean, 127
 - Hilbert, 88
 - linear, 63, 121, 125, 264
 - addition of elements, 125
 - basis of, *see* basis, in a linear space
 - complex, 125
 - dimension of, 63, 121, 125, 264
 - elements of, 121
 - multiplication of elements by scalars, 125
 - normed, 126, 257, 264
 - real, 125
 - Sobolev W_2^1 (or H^1), 454
 - unitary, 127
 - vector, 125
- spectral radius, 130, 169, 178, 181
- spectrum
 - boundaries of, 186, 194
 - sharp, 194
 - of a family of operators, *see* family of operators, spectrum of
 - of a matrix, 130
 - boundaries of, 186
 - of an operator, 130, 393
 - of finite-difference problem, *see* finite-difference scheme, spectrum of

- of transition operator, *see* operator, transition, spectrum of
 - splines
 - local, 43–48
 - convergence of, 47
 - error estimate for, 46
 - optimality of, 47
 - saturation of, 48, 53
 - multi-dimensional, 58
 - nonlocal, 43, 48–53
 - convergence of, 53
 - error estimate for, 53
 - optimality of, 53
 - saturation of, 53
 - Schoenberg's cubic, 49
 - stability, 3, 14–15, 73, 79, 80, 147
 - of approximating operator equation, 321
 - of families of matrices, *see* family of matrices, stability of
 - of finite-difference scheme, *see* finite-difference scheme, stability of
 - stencil, *see* finite-difference scheme, stencil of
 - subspace, 199
 - Krylov, *see* Krylov subspace
 - summation by parts, 407, 409
 - SVD, *see* singular value decomposition
 - system
 - Cauchy-Riemann, 497
 - linear, 117, 119
 - canonical form of, 120, 123, 124, 140, 214
 - coefficients of, 119
 - condition number of, *see* condition number, of a linear system
 - conditioning of, *see* conditioning, of linear systems
 - consistent, 120
 - homogeneous, 120
 - matrix form of, 120
 - matrix of, 120, 214
 - of high dimension, 123
 - operator form of, 121, 123, 124
 - overdetermined, 202, 211, 214
 - right-hand side of, 119
 - of linear algebraic equations, *see* system, linear
 - of scalar equations, 117
- T**
- theorem
- Bernstein, 87
 - Cauchy (convergence of fundamental sequences), 239
 - convergence of consistent and stable schemes, 273, 314
 - existence and uniqueness
 - of algebraic interpolating polynomial, 25
 - of local spline, 44
 - of trigonometric interpolating polynomial, 62, 72
 - Faber-Bernstein, 86
 - fundamental, of calculus, 91
 - Godunov, 347
 - Godunov-Ryaben'kii, 391
 - Jackson inequality, *see* inequality, Jackson
 - Kantorovich, 321
 - Kreiss
 - matrix, 366
 - on stability of dissipative schemes, 376
 - Lagrange (first mean value), 240
 - Lax equivalence, 314, 323
 - Lebesgue
 - inequality, *see* inequality, Lebesgue
 - on integrability of the derivative of an absolutely continuous function, 87
 - maximum principle, 449
 - necessary and sufficient condition for stability in l_2 , 363

- Newton form of interpolating polynomial, 29
- Riesz-Fischer, 363
- Rolle (mean value), 30, 36, 39
- stability of linear schemes for ordinary differential equations, 283
- Sturm, 231
- Weierstrass
 - on uniform approximation by polynomials, 84
 - on uniformly converging series of holomorphic functions, 179
- theory
 - GKS, 410
 - of approximation, 81, 467
- Thomas algorithm, 147
- time marching, 311, 331
- trace
 - of continuous function on the grid, 265
 - of continuous right-hand side on the grid, 308
 - of continuous solution on the grid, 254, 256, 308, 310
- transformation
 - Givens, 220
 - Householder, 220, 227
- trapezoidal rule, 93, 277
 - error of, *see* error, estimate, for trapezoidal rule, 278
 - no saturation for periodic functions, 95, 97
 - saturation of, 94
 - spectral convergence for periodic functions, 97
- truncation error, *see* error, truncation

- V**
- vector, 125
 - components of, 125
 - norm of, *see* norm, of a vector
- vectors
 - A-conjugate, 160
 - A-orthogonal, 160
- viscosity, 436
 - artificial, 376, 437
- von Neumann stability analysis, *see* finite-difference scheme, stability of, von Neumann analysis of

- W**
- wave
 - incoming, 505
 - outgoing, 505
 - rarefaction, 435
 - shock, 434
- wavelength, 342
- wavenumber, 341, 460, 478
- well-posedness, 6, 314, 405